





AGILE

TECHNICAL SCHEME

PHY7 and CLACE = 105mm
PHY7 and CLALA/BKRTT = 155mm



The technical scheme do not consider the dimensions of any postural and anti decubitus cushions.

SW: Considered external tube to external tube of the frame. The dimension between the internal faces of the side guards is +5mm than the SW.

SD: Considered the depth of the seat. It considers the dimension from the end of the seat to the back tube.

SL: Considered the length of the seat pan. SL with CARBTT2 = SD - 60mm | SL with CARBTS1 = SD | SL with CARBFS1 = SD

CG: Considered from the backrest tube to the axle of the rear wheels.

SHF and SHR: Seat height front and rear can be adjusted. They must always be measured in relation to the frame.

BRH: Considered from the seat (upholstery or carbon) to the top of the backrest tube.

TOLERANCE: The product is manufactured with a tolerance of ± 5 mm

For a right sizing of the wheelchair is recommended:

- ① SW | Seat Width _ A space of ± 5 mm between the user basin and the side guards
- ② SD | Seat Depth _ A space of ± 50 mm between the user's popliteal fossa and the seat (rigid carbon or upholstery).



SW: 340 – 460 mm
in increments
of 20 mm



SD: 380 – 460 mm
in increments
of 20 mm



BRH: 270 – 405 mm
in increments
of 15 mm



SHR: 365 – 425 mm
in increments
of 15 mm



SHF: 435 – 495 mm
in increments
of 15 mm



KHL: 310 – 440 mm
in increments
of 10 mm



CG: 80 – 120 mm
in increments
of 20 mm



BRA: 87° - 93°
in increments
of 3°



CRW:
0° or 3°



StF:
FRM83= 105 - 145 mm
FRM93= 85 - 125 mm
in increments
of 20 mm



TOTAL WIDTH (TW)
(Camber 0°) SW + 175 mm
(Camber 3°) SW + 220 mm



TOTAL DEPTH (TD)
StF + SD + 105 + 100
+ (100-CG)



TRANSPORT WEIGHT:
(Without rear wheels)
 ± 6.0 kg*



**MAXIMUM
USER WEIGHT:**
120 Kg



*** CONFIGURATION:**
SW340 / SD420 / STF120 /
CG100 / BKRUR / BRH255 /
FOADJ / BRKASL / FRKDS2 /
BRKASL2 / ALCMT116 /
FRWC4 / CARB24 / BKRTT3

ARIA WHEELS SRL

Registered Office_Via della Divisione Torino, 92 00143 Roma - Italy

Production Dept_Via A.Volta, 7/B 36030 Costabissara (VI) - Italy

VAT IT 12848301003 | tel. +39 0444701414

www.ariawheels.com | info@ariawheels.com